Tel.: +48 600 800 907 auto-kris@auto-kris.pl www.auto-kris.pl

USED FIRE VEHICLE OFFER

Renault Premium 250 SIDES Fire



Year: 1998 Date of 1st registration: 16/04/1998 Maximum power: 184kW (250HP) Cylinder capacity: 6174 cm3 Mileage: 54250 km Type of drive: 4x2 Empty weight: 8 320 kg MAM: 16 000 kg









The original firefighting vehicle.

The steering wheel has been fitted on the left side by the manufacturer (NOT "English").

Parameters:

- accident-free,
- number of seats: 8 in 2+2+4 arrangement ,
- automatic transmission,
- fire truck pump productivity SIDES $-\,1600$ l/min. ,
- pressure line: 1x W25 2x W52 2x W75 ,
- suction line: 1x W75 1x W110 ,
- composite water tank with a capacity of 3000 litres,

- 1x the electrical quick attack hose reel with a 40-metre long hose ended with the W25 nozzle ,

- the control panel of fire truck pump (with manometer and vacuum meter),
- the 24V LED 20000 lm lightning mast pneumatically retractable,
- the electrical winch K20000LBS with 9080 kg vertical traction force,
- the original French bodywork by SIDES,
- fire-fighting bodywork in the number of boxes: 5 in 2+2+1 arrangement ,
- external illumination of the vehicle's working field in LED technology,
- internal lighting of equipment boxes in LED technology,
- the LED blue light and warning signalling beam ,
- the set of blue LED alternate bumper lamps ,
- the blue LED beacon lamp at the back of the vehicle,
- the modulator of sound signals for emergency vehicles 300W,
- the loudspeaker of warning signals 2x150W,
- the set of public address system with a microphone,
- orange LED light wave at the rear of the vehicle,
- four far-reaching halogens LED at the front of the vehicle,
- four handles for breathing apparatuses in the cab of the vehicle,
- power steering,
- the blockade of drive axle,
- cthe retarder ,
- fog lamps,
- the attachment for a ladder ,
- the tool box on the roof of the vehicle,
- the hook,
- 10 R22,5 tyres,
- single wheels on the front axle, double wheels on the rear axle,
- tyres in very good condition.















